

本人と家族のための双極症サバイバルガイド

原著文献

- Abbasi, J. (2017). Ketamine minus the trip: New hope for treatment-resistant depression. *Journal of the American Medical Association*, 318(320), 1964–1966.
- Akiskal, H. S., Kilzieh, N., Maser, J. D., Clayton, P. J., Schettler, P. J., Shea, M. T., . . . Keller, M. B. (2006). The distinct temperament profiles of bipolar I, bipolar II and unipolar patients. *Journal of Affective Disorders*, 92(1), 19–33.
- Ali, J., & Khemka, M. (2008). Hyperprolactinemia: Monitoring children on long-term risperidone. *Current Psychiatry*, 7(11), 64–72.
- Allain, N., Leven, C., Falissard, B., Allain, J. S., Batail, J. M., Polard, E., . . . Naudet, F. (2017). Manic switches induced by antidepressants: An umbrella review comparing randomized controlled trials and observational studies. *Acta Psychiatrica Scandinavica*, 135(2), 106–116.
- Altman, E., Rea, M., Mintz, J., Miklowitz, D. J., Goldstein, M. J., & Hwang, S. (1992). Prodromal symptoms and signs of bipolar relapse: A report based on prospectively collected data. *Psychiatry Research*, 41, 1–8.
- Altshuler, L. L., Cohen, L. S., Vitonis, A. F., Faraone, S. V., Harlow, B. L., Suri, R., . . . Stowe, Z. N. (2008). The Pregnancy Depression Scale (PDS): A screening tool for depression in pregnancy. *Archives of Womens' Mental Health*, 11(4), 277–285.
- Altshuler, L. L., Sugar, C. A., McElroy, S. L., Calimlim, B., Gitlin, M., Keck, P. J., . . . Suppes, T. (2017). Switch rates during acute treatment for bipolar II depression with lithium, sertraline, or the two combined: A randomized double-blind comparison. *American Journal of Psychiatry*, 174(3), 266–276.
- Altshuler, L. L., Suppes, T., Black, D., Nolen, W. A., Keck, P. E. J., Frye, M. A., . . . Post, R. (2003). Impact of antidepressant discontinuation after acute bipolar depression remission on rates of depressive relapse at 1-year follow-up. *American Journal of Psychiatry*, 160, 1252–1262.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: Author.
- Amsterdam, J. D., Wang, G., & Shults, J. (2010). Venlafaxine monotherapy in bipolar type II depressed patients unresponsive to prior lithium monotherapy. *Acta Psychiatrica Scandinavica*, 121(3), 201–208.
- Andreasen, N. C. (2008). The relationship between creativity and mood disorders. *Dialogues in Clinical Neuroscience*, 10(2), 251–255.
- Axelson, D. A., Birmaher, B., Findling, R. L., Fristad, M. A., Kowatch, R. A., Youngstrom, E. A., . . . Diler, R. S. (2011). Concerns regarding the inclusion of temper dysregulation disorder with dysphoria in the *Diagnostic and Statistical Manual of Mental Disorders*, Fifth Edition. *Journal of Clinical Psychiatry*, 72(9), 1257–1262.
- Axelson, D. A., Birmaher, B., Strober, M. A., Goldstein, B. I., Ha, W., Gill, M. K., . . . Keller, M. B. (2011). Course of subthreshold bipolar disorder in youth: Diagnostic progression from bipolar disorder not otherwise specified. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50(10), 1001–1016.
- Axelson, D. A., Findling, R. L., Fristad, M. A., Kowatch, R. A., Youngstrom, E. A., Horwitz, S. M., . . . Birmaher, B. (2012). Examining the proposed disruptive mood dysregulation disorder diagnosis in children in the Longitudinal Assessment of Manic Symptoms Study. *Journal of Clinical Psychiatry*, 73(10), 1342–1350.
- BALANCE investigators and collaborators, Geddes, J. R., Goodwin, G. M., Rendell, J., Azorin, J. M., Cipriani, A., . . . Juszczak, E. (2010). Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar I disorder (BALANCE): A randomised open-label trial. *Lancet*, 375(9712), 385–395.
- Baldessarini, R. J., Tondo, L., Ghiani, C., & Lepri, B. (2010). Illness risk following rapid versus gradual discontinuation of antidepressants. *American Journal of Psychiatry*, 167(8), 934–941.
- Baldessarini, R. J., Tondo, L., & Hennen, J. (1999). Treatment delays in bipolar disorders. *American Journal of Psychiatry*, 156(5), 811–812.
- Barnett, J. H., & Smoller, J. W. (2009). The genetics of bipolar disorder. *Neuroscience*, 164(1), 331–343.
- Barthelme, E. K., & Naz, R. K. (2014). Polycystic ovary syndrome: Current status and future

- perspective. *Frontiers in Bioscience (Elite Ed.)*, 6, 104–119.
- Bateman, A., & Fonagy, P. (2010). Mentalization based treatment for borderline personality disorder. *World Psychiatry*, 9, 11–15.
- Bauer, M. S., & McBride, L. (1996). *Structured group psychotherapy for bipolar disorder: The life goals program*. New York: Springer.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1987). *Cognitive therapy of depression*. New York: Guilford Press.
- Benazzi, F., Berk, M., Frye, M. A., Wang, W., Barraco, A., & Tohen, M. (2009). Olanzapine/fluoxetine combination for the treatment of mixed depression in bipolar I disorder: A post hoc analysis. *Clinical Psychiatry*, 70(10), 1424–1431.
- Berk, M. S., Henriques, G. R., Warman, D. M., Brown, G. K., & Beck, A. T. (2004). A cognitive therapy intervention for suicide attempters: An overview of the treatment and case examples. *Cognitive and Behavioral Practice*, 11, 265–277.
- Berrettini, W. (2003). Evidence for shared susceptibility in bipolar disorder and schizophrenia. *American Journal of Medical Genetics, Part C*, 123C, 59–64.
- Bhowmik, D., Aparasu, R. R., Rajan, S. S., Sherer, J. T., Ochoa-Perez, M., & Chen, H. (2014). Risk of manic switch associated with antidepressant therapy in pediatric bipolar depression. *Journal of Child and Adolescent Psychopharmacology*, 24, 551–561.
- Bilderbeck, A. C., Atkinson, L., McMahon, H., Voysey, M., Simon, J., Price, J., . . . Goodwin, G. M. (2016). Psychoeducation and online mood tracking for patients with bipolar disorder: A randomised controlled trial of Facilitated Integrated Mood Management versus Manualised Integrated Mood Management. *Journal of Affective Disorders*, 205, 245–251.
- Birmaher, B., Axelson, D., Goldstein, B., Strober, M., Gill, M. K., Hunt, J., . . . Keller, M. (2009). Four-year longitudinal course of children and adolescents with bipolar spectrum disorders: The Course and Outcome of Bipolar Youth (COBY) study. *American Journal of Psychiatry*, 166(7), 795–804.
- Birmaher, B., Axelson, D., Strober, M., Gill, M. K., Valeri, S., Chiappetta, L., . . . Keller, M. (2006). Clinical course of children and adolescents with bipolar spectrum disorders. *Archives of General Psychiatry*, 63(2), 175–183.
- Birmaher, B., Gill, M. K., Axelson, D. A., Goldstein, B. I., Goldstein, T. R., Yu, H., . . . Keller, M. B. (2014). Longitudinal trajectories and associated baseline predictors in youths with bipolar spectrum disorders. *American Journal of Psychiatry*, 171(9), 990–999.
- Bonnín, C. D. M., Martínez-Arán, A., Torrent, C., Pacchiarotti, I., Rosa, A. R., Franco, C., . . . Vieta, E. (2010). Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: A long-term, follow-up study. *Journal of Affective Disorders*, 121(1–2), 156–160.
- Boufidou, F., Nikkolaou, C., Alevizios, B., Liappas, I. A., & Christodoulou, G. N. (2004). Cytokine production in bipolar affective disorder patients under lithium treatment. *Journal of Affective Disorders*, 82, 309–313.
- Brohan, E., Gauci, D., Sartorius, N., Thornicroft, G., & GAMIAN-Europe Study Group. (2011). Self-stigma, empowerment and perceived discrimination among people with bipolar disorder or depression in 13 European countries: The GAMIAN-Europe study. *Journal of Affective Disorders*, 129(1–3), 56–63.
- Bryant, F. B., & Veroff, J. (2007). *Savoring: A new model of positive experience*. Mahwah, NJ: Erlbaum.
- Buoli, M., Serati, M., & Altamura, A. C. (2017). Biological aspects and candidate biomarkers for rapid-cycling in bipolar disorder: A systematic review. *Psychiatry Research*, 258, 565–575.
- Cade, J. F. J. (1949). Lithium salts in the treatment of psychotic excitement. *Medical Journal of Australia*, 36, 349–352.
- Carlson, G. A. (1990). Child and adolescent mania: Diagnostic considerations. *Journal of Child Psychology and Psychiatry*, 31, 331–342.
- Carlson, G. A., & Goodwin, F. K. (1973). The stages of mania: A longitudinal analysis of the manic episode. *Archives of General Psychiatry*, 28, 221–228.
- Carrà, G., Bartoli, F., Crocamo, C., Brady, K. T., & Clerici, M. (2014). Attempted suicide in people with co-occurring bipolar and substance use disorders: Systematic review and meta-analysis. *Journal of Affective Disorders*, 167, 125–135.
- Carreno, T., & Goodnick, P. J. (1998). Creativity and mood disorder. In P. J. Goodnick (Ed.), *Mania: Clinical and research perspectives* (pp. 11–36). Washington, DC: American Psychiatric Press.
- Chang, K., Saxena, K., & Howe, M. (2006). An open-label study of lamotrigine adjunct or monotherapy for the treatment of adolescents with bipolar depression. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45, 298–304.
- Chung, T. K., Lau, T. K., Yip, A. S., Chiu, H. F., & Lee, D. T. (2001). Antepartum depressive

- symptomatology is associated with adverse obstetric and neonatal outcomes. *Psychosomatic Medicine*, 63(5), 830–834.
- Cipriani, A., Barbui, C., Salanti, G., Rendell, J., Brown, R., Stockton, S., . . . Geddes, J. R. (2011). Comparative efficacy and acceptability of antimanic drugs in acute mania: A multiple-treatments meta-analysis. *Lancet*, 378(9799), 1306–1315.
- Cipriani, A., Hawton, K., Stockton, S., & Geddes, J. R. (2013, June 27). Lithium in the prevention of suicide in mood disorders: Updated systematic review and meta-analysis. *British Medical Journal*, 346, f3646.
- Cohen, L. S. (2007). Treatment of bipolar disorder during pregnancy. *Journal of Clinical Psychiatry*, 68(Suppl. 9), 4–9.
- Colom, F., Vieta, E., Martínez-Aran, A., Reinares, M., Benabarre, A., & Gasto, C. (2000). Clinical factors associated with treatment noncompliance in euthymic bipolar patients. *Journal of Clinical Psychiatry*, 61, 549–555.
- Colom, F., Vieta, E., Martínez-Aran, A., Reinares, M., Goikolea, J. M., & Martínez-Arán, A. (2009). A randomized trial on the efficacy of group psychoeducation in the prophylaxis of bipolar disorder: A five year follow-up. *British Journal of Psychiatry*, 194(3), 260–265.
- Colom, F., Vieta, E., Tacchi, M. J., Sanchez-Moreno, J., & Scott, J. (2005). Identifying and improving non-adherence in bipolar disorders. *Bipolar Disorders*, 7(5), 24–31.
- Correll, C. U., Hauser, M., Penzner, J. B., Auther, A. M., Kafantaris, V., Saito, E., . . . Cornblatt, B. A. (2014). Type and duration of subsyndromal symptoms in youth with bipolar I disorder prior to their first manic episode. *Bipolar Disorders*, 16(5), 478–492.
- Correll, C. U., Sheridan, E. M., & DelBello, M. P. (2010). Antipsychotic and mood stabilizer efficacy and tolerability in pediatric and adult patients with bipolar I mania: A comparative analysis of acute, randomized, placebo-controlled trials. *Bipolar Disorders*, 12(2), 116–141.
- Correll, C. U., Sikich, L., Reeves, G., & Riddle, M. (2013). Metformin for antipsychotic-related weight gain and metabolic abnormalities: When, for whom, and for how long? *American Journal of Psychiatry*, 170(9), 947–952.
- Coryell, W. (2009). Maintenance treatment in bipolar disorder: A reassessment of lithium as the first choice. *Bipolar Disorders*, 11(Suppl. 2), 77–83.
- Coryell, W., Scheftner, W., Keller, M., Endicott, J., Maser, J., & Klerman, G. L. (1993). The enduring psychosocial consequences of mania and depression. *American Journal of Psychiatry*, 150, 720–727.
- Court, B. L., & Nelson, G. E. (1996). *Bipolar puzzle solution: A mental health client's perspective*. Philadelphia: Taylor & Francis.
- Craddock, N., & Sklar, P. (2013). Genetics of bipolar disorder. *Lancet*, 381(9878), 1654–1662.
- Craighead, L. W. (2006). *The appetite awareness workbook: How to listen to your body and overcome bingeing, overeating, and obsession with food*. Oakland, CA: New Harbinger.
- Dalai Lama. (1999). *Ethics for the new millennium*. New York: Riverhead Books.
- Dalai Lama, & Cutler, H. C. (1998). *The art of happiness: A handbook for living*. New York: Riverhead Books.
- Dalwood, J., Dhillon, R., Tibrewal, P., Gupta, N., & Bastiampillai, T. (2015). St John's wort: Is it safe in bipolar disorder? *Australian and New Zealand Journal of Psychiatry*, 49(12), 1226.
- Davis, M., Eshelman, E. R., & McKay, M. (2008). *The relaxation and stress reduction workbook* (6th ed.). Oakland, CA: New Harbinger.
- de Assis da Silva, R., Mograbi, D. C., Camelo, E. V. M., Peixoto, U., Santana, C. M. T., Landeira-Fernandez, J., . . . Cheniaux, E. (2017). The influence of current mood state, number of previous affective episodes and predominant polarity on insight in bipolar disorder. *International Journal of Psychiatry in Clinical Practice*, 21(4), 266–270.
- Deckersbach, T., Nierenberg, A. A., Kessler, R., Lund, H. G., Ametrano, R. M., Sachs, G., . . . Dougherty, D. (2010). Cognitive rehabilitation for bipolar disorder: An open trial for employed patients with residual depressive symptoms. *CNS Neuroscience and Therapeutics*, 16(5), 298–307.
- Deckersbach, T., Peters, A., Sylvia, L., Urdahl, A., Vieira da Silva Magalhaes, P., Otto, M. W., . . . Nierenberg, A. (2014). Do comorbid anxiety disorders moderate the effects of psychotherapy for bipolar disorder?: Results from STEP-BD. *American Journal of Psychiatry*, 171(2), 178–186.
- DelBello, M. P., Goldman, R., Phillips, D., Deng, L., Cucchiari, J., & Loebel, A. (2017). Efficacy and safety of lurasidone in children and adolescents with bipolar I depression: A double blind, placebo-controlled study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 56(12), 1015–1025.
- Diav-Citrin, O., Shechtman, S., Tahover, E., Finkel-Pekarsky, V., Arnon, J., Kennedy, D., . . . Ornoy, A. (2014). Pregnancy outcome following in utero exposure to lithium: A prospective,

- comparative, observational study. *American Journal of Psychiatry*, 171(7), 785–794.
- Dimidjian, S., Goodman, S. H., Felder, J. N., Gallop, R., Brown, A. P., & Beck, A. T. (2016). Staying well during pregnancy and the postpartum: A pilot randomized trial of mindfulness based cognitive therapy for the prevention of depressive relapse/recurrence. *Journal of Consulting and Clinical Psychology*, 84(2), 134–145.
- Dmitrzak-Weglarz, M., Rybakowski, J. K., Suwalska, A., Skibinska, M., Leszczynska Rodziewicz, A., Szczepankiewicz, A., & Hauser, J. (2008). Association studies of the BDNF and the NTRK2 gene polymorphisms with prophylactic lithium response in bipolar patients. *Pharmacogenomics*, 9(11), 1595–1603.
- Duffy, A., Horrocks, J., Doucette, S., Keown-Stoneman, C., McCloskey, S., & Grof, P. (2014). The developmental trajectory of bipolar disorder. *British Journal of Psychiatry*, 204(2), 122–128.
- Duncan, W. C., Jr., Ballard, E. D., & Zarate, C. A. (2017). Ketamine-induced glutamatergic mechanisms of sleep and wakefulness: Insights for developing novel treatments for disturbed sleep and mood. *Handbook of Experimental Pharmacology*. [Epub ahead of print]
- Egeland, J. A., Endicott, J., Hostetter, A. M., Allen, C. R., Pauls, D. L., & Shaw, J. A. (2012). A 16-year prospective study of prodromal features prior to BPI onset in well Amish children. *Journal of Affective Disorders*, 142(1–3), 186–192.
- Ehlers, C. L., Kupfer, D. J., Frank, E., & Monk, T. H. (1993). Biological rhythms and depression: The role of zeitgebers and zeitstorerers. *Depression*, 1, 285–293.
- Ehrnstrom, C., & Brosse, A. L. (2016). *End the insomnia struggle: A step-by-step guide to help you get to sleep and stay asleep*. Oakland, CA: New Harbinger.
- Einarson, A., & Boskovic, R. (2009). Use and safety of antipsychotic drugs during pregnancy. *Journal of Psychiatric Practice*, 15(3), 183–192.
- Eisenberger, N. I. (2015). Social pain and the brain: Controversies, questions, and where to go from here. *Annual Review of Psychology*, 66, 601–629.
- El-Mallakh, R. S., Vöhringer, P. A., Ostacher, M. M., Baldassano, C. F., Holtzman, N. S., Whitham, E. A., . . . Ghaemi, S. N. (2015). Antidepressants worsen rapid-cycling course in bipolar depression: A STEP-BD randomized clinical trial. *Journal of Affective Disorders*, 184, 318–321.
- Ellison, M. L., Russinova, Z., Lyass, A., & Rogers, E. S. (2008). Professionals and managers with severe mental illnesses: Findings from a national survey. *Journal of Nervous and Mental Disease*, 196(3), 179–189.
- Faheem, S., Petti, V., & Mello, G. (2017). Disruptive mood dysregulation disorder and its effect on bipolar disorder. *Annals of Clinical Psychiatry*, 29(2), 84–91.
- Fawcett, J., Golden, B., & Rosenfeld, N. (2000). *New hope for people with bipolar disorder*. Roseville, CA: Prima Health.
- Fears, S. C., Service, S. K., Kremeyer, B., Araya, C., Araya, X., Bejarano, J., . . . Bearden, C. E. (2014). Multisystem component phenotypes of bipolar disorder for genetic investigations of extended pedigrees. *JAMA Psychiatry*, 71(4), 375–387.
- Forman, D. R., O'Hara, M. W., Stuart, S., Gorman, L. L., Larsen, K. E., & Coy, K. C. (2007). Effective treatment for postpartum depression is not sufficient to improve the developing mother–child relationship. *Development and Psychopathology*, 19(2), 585–602.
- Fortinguerra, F., Clavenna, A., & Bonati, M. (2009). Psychotropic drug use during breastfeeding: A review of the evidence. *Pediatrics*, 124(4), e547–e556.
- Frank, E. (2007). *Treating bipolar disorder: A clinician's guide to interpersonal and social rhythm therapy*. New York: Guilford Press.
- Frank, E., Kupfer, D. J., Thase, M. E., Mallinger, A. G., Swartz, H. A., Fagiolini, A. M., . . . Monk, T. (2005). Two-year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder. *Archives of General Psychiatry*, 62(9), 996–1004.
- Fraser, L. M., O'Carroll, R. E., & Ebmeier, K. P. (2008). The effect of electroconvulsive therapy on autobiographical memory: A systematic review. *Journal of ECT*, 24(1), 10–17.
- Freeman, M. P., Smith, K. W., Freeman, S. A., McElroy, S. L., Kmetz, G. E., Wright, R., & Keck, P. E. J. (2002). The impact of reproductive events on the course of bipolar disorder in women. *Journal of Clinical Psychiatry*, 63(4), 284–287.
- Fristad, M. A., & Goldberg Arnold, J. S. (2003). *Raising a moody child*. New York: Guilford Press.
- Fristad, M. A., & MacPherson, H. A. (2014). Evidence-based psychosocial treatments for child and adolescent bipolar spectrum disorders. *Journal of Child and Adolescent Psychology*, 43(3), 339–355.
- Fristad, M. A., Vesco, A. T., Young, A. S., Healy, K. Z., Nader, E. S., Gardner, W., . . . Arnold, L. E. (2016). Pilot randomized controlled trial of omega-3 and individual-family psycho educational psychotherapy for children and adolescents with depression. *Journal of Child and Adolescent Psychology*, 7, 1–14.

- Geddes, J. R., Calabrese, J. R., & Goodwin, G. M. (2009). Lamotrigine for treatment of bipolar depression: Independent meta-analysis and meta-regression of individual patient data from five randomised trials. *British Journal of Psychiatry*, 194(1), 4–9.
- Geddes, J. R., & Miklowitz, D. J. (2013). Treatment of bipolar disorder. *Lancet*, 381(9878), 1672–1682.
- Geller, B., Bolhofner, K., Craney, J. L., Williams, M., DelBello, M. P., & Gunderson, K. (2000). Psychosocial functioning in a prepubertal and early adolescent bipolar disorder pheno type. *Journal of the American Academy of Child and Adolescent Psychiatry*, 39, 1543–1548.
- Geller, B., Luby, J. L., Joshi, P., Wagner, K. D., Emslie, G., Walkup, J. T., . . . Lavori, P. (2012). A randomized controlled trial of risperidone, lithium, or divalproex sodium for initial treatment of bipolar I disorder, manic or mixed phase, in children and adolescents. *Archives of General Psychiatry*, 69(5), 515–528.
- Geller, B., Tillman, R., Bolhofner, K., & Zimmerman, B. (2008). Child bipolar I disorder: Prospective continuity with adult bipolar I disorder; characteristics of second and third episodes; predictors of 8-year outcome. *Archives of General Psychiatry*, 65(10), 1125–1133.
- Geller, B., Williams, M., Zimmerman, B., Frazier, J., Beringer, I., & Warner, K. L. (1998). Prepubertal and early adolescent bipolarity differentiated from ADHD by manic symptoms, grandiose delusions, ultra-rapid or ultradian cycling. *Journal of Affective Disorders*, 51, 81–91.
- Ghaemi, N., Sachs, G. S., & Goodwin, F. K. (2000). What is to be done?: Controversies in the diagnosis and treatment of manic-depressive illness. *World Journal of Biological Psychiatry*, 1(2), 65–74.
- Ghasemi, A., Seifi, M., Baybordi, F., Danaei, N., & Samadi, R. (2018). Association between serotonin 2A receptor genetic variations, stressful life events and suicide. *Gene*, 658, 191– 197.
- Gignac, A., McGirr, A., Lam, R. W., & Yatham, L. N. (2015). Recovery and recurrence following a first episode of mania: A systematic review and meta-analysis of prospectively characterized cohorts. *Journal of Clinical Psychiatry*, 76(9), 1241–1248.
- Gilman, S. E., Ni, M. Y., Dunn, E. C., Breslau, J., McLaughlin, K. A., Smoller, J. W., & Perlis, R. H. (2015). Contributions of the social environment to first-onset and recurrent mania. *Molecular Psychiatry*, 20(3), 329–336.
- Gitlin, M. J., & Miklowitz, D. J. (2017). The difficult lives of individuals with bipolar disorder: A review of functional outcomes and their implications for treatment. *Journal of Affective Disorders*, 209, 147–154.
- Glovinsky, P., & Spielman, A. (2006). *The insomnia answer: A personalized program for identifying and overcoming the three types of insomnia*. New York: TarcherPerigee.
- Glozier, N. (1998). Workplace effects of the stigmatization of depression. *Journal of Occupational and Environmental Medicine*, 40, 793–800.
- Goghari, V. M., & Harrow, M. (2016). Twenty year multi-follow-up of different types of hallucinations in schizophrenia, schizoaffective disorder, bipolar disorder, and depression. *Schizophrenia Research*, 176(2–3), 371–377.
- Goldberg, J. F., Burdick, K. E., & Endick, C. J. (2004). Preliminary randomized, double-blind, placebo-controlled trial of pramipexole added to mood stabilizers for treatment-resistant bipolar depression. *American Journal of Psychiatry*, 161(3), 564–566.
- Goldstein, B. I., Birmaher, B., Carlson, G., DelBello, M. P., Findling, R. L., Fristad, M. A., . . . Youngstrom, E. A. (2017). The International Society for Bipolar Disorders Task Force Report on Pediatric Bipolar Disorder: Knowledge to date and directions for future research. *Bipolar Disorders*, 19(7), 524–543.
- Goldstein, B. I., Carnethon, M. R., Matthews, K. A., McIntyre, R. S., Miller, G. E., Raghuveer, G., . . . McCrindle, B. W. (2015). Major depressive disorder and bipolar disorder predispose youth to accelerated atherosclerosis and early cardiovascular disease: A scientific statement from the American Heart Association. *Circulation*, 132(10), 965–986.
- Goldstein, B. I., Goldstein, T. R., Collinger-Larson, K. A., Axelson, D. A., Bukstein, O. G., Birmaher, B., & Miklowitz, D. J. (2014). Treatment development and feasibility study of family-focused treatment for adolescents with bipolar disorder and comorbid substance use disorders. *Journal of Psychiatric Practice*, 20(3), 237–248.
- Goldstein, T. R., Fersch-Podrat, R. K., Rivera, M., Axelson, D. A., Merranko, J., Yu, H., . . . Birmaher, B. (2015). Dialectical behavior therapy (DBT) for adolescents with bipolar disorder: Results from a pilot randomized trial. *Journal of Child and Adolescent Psychopharmacology*, 25(2), 140–149.
- Goodwin, F. K., Fireman, B., Simon, G. E., Hunkeler, E. M., Lee, J., & Revicki, D. (2003). Suicide risk in bipolar disorder during treatment with lithium and divalproex. *Journal of the American Medical Association*, 290, 1467–1473.

- Goodwin, G. M., Bowden, C. L., Calabrese, J. R., Grunze, H., Kasper, S., White, R., . . . Lead better, R. (2004). A pooled analysis of 2 placebo-controlled 18-month trials of lamotrigine and lithium maintenance in bipolar I disorder. *Journal of Clinical Psychiatry*, 65(3), 432–441.
- Goodwin, G. M., Haddad, P. M., Ferrier, I. N., Aronson, J. K., Barnes, T., Cipriani, A., . . . Young, A. H. (2016). Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. *Journal of Psychopharmacology*, 30(6), 495–553.
- Gordon-Smith, K., Forty, L., Chan, C., Knott, S., Jones, I., Craddock, N., & Jones, L. A. (2015). Rapid cycling as a feature of bipolar disorder and comorbid migraine. *Journal of Affective Disorders*, 175, 320–324.
- Greenberger, D., & Padesky, C. A. (2015). *Mind over mood* (2nd ed.). New York: Guilford Press. (大野裕監訳『うつと不安の認知療法練習帳 増補改訂版』創元社、2017 年)
- Grof, P. (2010). Sixty years of lithium responders. *Neuropsychobiology*, 62, 27–35.
- Grof, P., Duffy, A., Alda, M., & Hajek, T. (2009). Lithium response across generations. *Acta Psychiatrica Scandinavica*, 120(5), 378–385.
- Grossman, D. C., Mueller, B. A., Riedy, C., Dowd, M. D., Villaveces, A., Prodzinski, J., . . . Harruff, R. (2005). Gun storage practices and risk of youth suicide and unintentional firearm injuries. *Journal of the American Medical Association*, 293, 707–714.
- Grover, S., & Avasthi, A. (2015). Mood stabilizers in pregnancy and lactation. *Indian Journal of Psychiatry*, 57(Suppl. 2), S308–S323.
- Grunze, H. (2014). Stimulants for treating bipolar disorder: Pro and con. *Harvard Review of Psychiatry*, 22(6), 358–362.
- Hafeman, D. M., Meranko, J., Axelson, D., Goldstein, B. I., Goldstein, T., Monk, K., . . . Birmaher, B. (2016). Toward the definition of a bipolar prodrome: Dimensional predictors of bipolar spectrum disorders in at-risk youths. *American Journal of Psychiatry*, 173(7), 695–704.
- Hamilton, S. F. (2016). *Fast girl: A life spent running from madness*. New York: Dey Street.
- Hammen, C., Gitlin, M., & Altshuler, L. (2000). Predictors of work adjustment in bipolar I patients: A naturalistic longitudinal follow-up. *Journal of Consulting and Clinical Psychology*, 68, 220–225.
- Hankin, B. L., & Abramson, L. Y. (2001). Development of gender differences in depression: An elaborated cognitive vulnerability–transactional stress theory. *Psychological Bulletin*, 127(6), 773–796.
- Harlow, B. L., Wise, L. A., Otto, M. W., Soares, C. N., & Cohen, L. S. (2003). Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: The Harvard Study of Moods and Cycles. *Archives of General Psychiatry*, 60(1), 29–36.
- Harmanci, H., Çam, Ç. F., & Etikan, □. (2016). Comorbidity of adult attention deficit and hyperactivity disorder in bipolar and unipolar patients. *Noro Psikiyatr Ars*, 53(3), 257–262.
- Harrison, P. J., Geddes, J. R., & Tunbridge, E. M. (2018). The emerging neurobiology of bipolar disorder. *Trends in Neuroscience*, 41(1), 18–30.
- Harrow, M., Grossman, L. S., Herbener, E. S., & Davies, E. W. (2000). Ten-year outcome: Patients with schizoaffective disorders, schizophrenia, affective disorders and mood-incongruent psychotic symptoms. *British Journal of Psychiatry*, 177, 421–426.
- Harvey, A. G. (2011). Sleep and circadian functioning: Critical mechanisms in the mood disorders? *Annual Review of Clinical Psychology*, 7, 297–319.
- Haskey, C., & Galbally, M. (2017). Mood stabilizers in pregnancy and child developmental outcomes: A systematic review. *Australia and New Zealand Journal of Psychiatry*, 51(11), 1087–1097.
- Haslan, N. (2016). Concept creep: Psychology's expanding concepts of harm and pathology. *Psychological Inquiry: An International Journal for the Advancement of Psychological Theory*, 27, 1–17.
- Hawton, K., Sutton, L., Haw, C., Sinclair, J., & Harriss, L. (2005). Suicide and attempted suicide in bipolar disorder: A systematic review of risk factors. *Journal of Clinical Psychiatry*, 66(6), 693–704.
- Hibbeln, J. R. (1998). Fish consumption and major depression. *Lancet*, 351, 1213.
- Hillegers, M. H., Reichart, C. G., Wals, M., Verhulst, F. C., Ormel, J., & Nolen, W. A. (2005). Five-year prospective outcome of psychopathology in the adolescent offspring of bipolar parents. *Bipolar Disorders*, 7(4), 344–350.
- Hirschfeld, R. M., Williams, J. B., Spitzer, R. L., Calabrese, J. R., Flynn, L., Keck, K. P. E., Jr., et al. (2000). Development and validation of a screening instrument for bipolar spectrum disorder: The Mood Disorder Questionnaire. *American Journal of Psychiatry*, 157, 1873–1875.

- Hoffman, C., Dunn, D. M., & Njoroge, W. F. M. (2017). Impact of postpartum mental illness upon infant development. *Current Psychiatry Reports*, 19(12), 100.
- Hollander, M. (2017). *Helping teens who cut: Using DBT skills to end self-injury* (2nd ed.). New York: Guilford Press. (1st ed: 藤澤大介、佐藤美奈子訳『自傷行為救出ガイドブック』星和書店、2011 年)
- Hooley, J. M. (2007). Expressed emotion and relapse of psychopathology. *Annual Review of Clinical Psychology*, 3, 329–352.
- Hooley, J. M., Siegle, G., & Gruber, S. A. (2012). Affective and neural reactivity to criticism in individuals high and low on perceived criticism. *PLOS ONE*, 7(9), e44412.
- Ikeda, M., Saito, T., Kondo, K., & Iwata, N. (2017). Genome-wide association studies of bipolar disorder: A systematic review of recent findings and their clinical implications. *Psychiatry and Clinical Neurosciences*.
- Insel, T. R. (2009). Translating scientific opportunity into public health impact: A strategic plan for research on mental illness. *Archives of General Psychiatry*, 66(2), 128–133. Isojärvi, J. I. T., Taubøll, E., & Herzog, A. (2005). Effect of antiepileptic drugs on reproductive endocrine function in individuals with epilepsy. *CNS Drugs*, 19(3), 207–223.
- Jacobs, G. D. (2009). *Say good night to insomnia: The six-week, drug-free program developed at Harvard Medical School*. New York: Holt Paperbacks.
- Jamison, K. R. (1993). *Touched with fire: Manic-depressive illness and the artistic temperament*. New York: Free Press.
- Jamison, K. R. (1995). *An unquiet mind*. New York: Knopf. (田中啓子訳『躁うつ病を生きる』新曜社、1998 年)
- Jamison, K. R. (2000a). *Night falls fast: Understanding suicide*. New York: Vintage Books. Jamison, K. R. (2000b). Suicide and bipolar disorder. *Journal of Clinical Psychiatry*, 61(Suppl. 9), 47–56.
- Jamison, K. R. (2005). *Exuberance: The passion for life*. New York: Vintage. Jamison, K. R. (2017). *Robert Lowell, setting the river on fire: A study of genius, mania, and character*. New York: Knopf.
- Jette, N., Patten, S., Williams, J., Becker, W., & Wiebe, S. (2008). Comorbidity of migraine and psychiatric disorders—a national population-based study. *Headache*, 48(4), 501–516.
- Jiang, B., Kenna, H. A., & Rasgon, N. L. (2009). Genetic overlap between polycystic ovary syndrome and bipolar disorder: The endophenotype hypothesis. *Medical Hypotheses*, 73(6), 996–1004.
- Joffe, H. (2007). Reproductive biology and psychotropic treatments in premenopausal women with bipolar disorder. *Journal of Clinical Psychiatry*, 68(9), 10–15.
- Joffe, H., Cohen, L. S., Suppes, T., McLaughlin, W. L., Lavori, P., Adams, J. M., . . . Sachs, G. S. (2006). Valproate is associated with new-onset oligoamenorrhea with hyperandrogenism in women with bipolar disorder. *Biological Psychiatry*, 59(11), 1078–1086.
- Joffe, H., Kim, D. R., Foris, J. M., Baldassano, C. F., Gyulai, L., Hwang, C. H., . . . Cohen, L. S. (2006). Menstrual dysfunction prior to onset of psychiatric illness is reported more commonly by women with bipolar disorder than by women with unipolar depression and healthy controls. *Journal of Clinical Psychiatry*, 67(2), 297–304.
- John, H., & Sharma, V. (2009). Misdiagnosis of bipolar disorder as borderline personality disorder: Clinical and economic consequences. *World Journal of Biological Psychiatry*, 10(4, Pt. 2), 612–615.
- Johnson, S. L., Cuellar, A., Ruggero, C., Perlman, C., Goodnick, P., White, R., & Miller, I. (2008). Life events as predictors of mania and depression in bipolar I disorder. *Journal of Abnormal Psychology*, 117, 268–277.
- Johnson, S. L., Murray, G., Fredrickson, B., Youngstrom, E. A., Hinshaw, S., Bass, J. M., . . . Salloum, I. (2012). Creativity and bipolar disorder: Touched by fire or burning with questions? *Clinical Psychology Review*, 32(1), 1–12.
- Johnson, S. L., Winett, C. A., Meyer, B., Greenhouse, W. J., & Miller, I. (1999). Social support and the course of bipolar disorder. *Journal of Abnormal Psychology*, 108, 558–566. Joseph, M. F., Frazier, T. W., Youngstrom, E. A., & Soares, J. C. (2008). A quantitative and qualitative review of neurocognitive performance in pediatric bipolar disorder. *Journal of Child and Adolescent Psychopharmacology*, 18, 595–605.
- Joyce, P. R. (1985). Illness behaviour and rehospitalisation in bipolar affective disorder. *Psychological Medicine*, 15, 521–525.
- Judd, L. L., Akiskal, H. S., Schettler, P. J., Coryell, W., Endicott, J., Maser, J. D., . . . Keller, M. B. (2003). A prospective investigation of the natural history of the long-term weekly symptomatic

- status of bipolar II disorder. *Archives of General Psychiatry*, 60, 261–269.
- Judd, L. L., Akiskal, H. S., Schettler, P. J., Endicott, J., Maser, J., Solomon, D. A., . . . Keller, M. B. (2002). The long-term natural history of the weekly symptomatic status of bipolar I disorder. *Archives of General Psychiatry*, 59, 530–537.
- Katalinic, N., Lai, R., Somogyi, A., Mitchell, P. B., Glue, P., & Loo, C. K. (2013). Ketamine as a new treatment for depression: A review of its efficacy and adverse effects. *Australian and New Zealand Journal of Psychiatry*, 47(8), 710–727.
- Kenna, H. A., Jiang, B., & Rasgon, N. L. (2009). Reproductive and metabolic abnormalities associated with bipolar disorder and its treatment. *Harvard Review of Psychiatry*, 17, 138–146.
- Kessler, R. C., Adler, L., Barkley, R., Biederman, J., Conners, C. K., Demler, O., . . . Zaslavsky, A. M. (2006). The prevalence and correlates of adult ADHD in the United States: Results from the National Comorbidity Survey Replication. *American Journal of Psychiatry*, 163, 716–723.
- Kessler, R. C., Berglund, P., Demler, O., Jin, R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62, 593–602.
- Kim, E. Y., & Miklowitz, D. J. (2002). Childhood mania, attention deficit hyperactivity disorder, and conduct disorder: A critical review of diagnostic dilemmas. *Bipolar Disorders*, 4, 215–225.
- Kishi, T., Ikuta, T., Matsunaga, S., Matsuda, Y., Oya, K., & Iwata, N. (2017). Comparative efficacy and safety of antipsychotics in the treatment of schizophrenia: A network meta-analysis in a Japanese population. *Neuropsychiatric Disease and Treatment*, 13, 1281–1302.
- Kivilcim, Y., Altintas, M., Domac, F. M., Erzincan, E., & Gülec, H. (2017). Screening for bipolar disorder among migraineurs: The impact of migraine-bipolar disorder comorbidity on disease characteristics. *Neuropsychiatric Disease and Treatment*, 13, 631–641.
- Kochman, F. J., Hantouche, E. G., Ferrari, P., Lancrenon, S., Bayart, D., & Akiskal, H. S. (2005). Cyclothymic temperament as a prospective predictor of bipolarity and suicidality in children and adolescents with major depressive disorder. *Journal of Affective Disorders*, 85(1–2), 181–189.
- Kocsis, J. H., Shaw, E. D., Stokes, P. E., Wilner, P., Elliot, A. S., Sikes, C., . . . Parides, M. (1993). Neuropsychological effects of lithium discontinuation. *Journal of Clinical Psychopharmacology*, 13, 268–275.
- Kyaga, S., Landén, M., Boman, M., Hultman, C. M., Långström, N., & Lichtenstein, P. (2013). Mental illness, suicide and creativity: 40-year prospective total population study. *Journal of Psychiatric Research*, 47(1), 83–90.
- Lan, W. H., Bai, Y. M., Hsu, J. W., Huang, K. L., Su, T. P., Li, C. T., . . . Chen, M. H. (2015). Comorbidity of ADHD and suicide attempts among adolescents and young adults with bipolar disorder: A nationwide longitudinal study. *Journal of Affective Disorders*, 176, 171–175.
- Leibenluft, E., Cohen, P., Gorrindo, T., Brook, J. S., & Pine, D. S. (2006). Chronic vs. episodic irritability in youth: A community-based, longitudinal study of clinical and diagnostic associations. *Journal of Child and Adolescent Psychopharmacology*, 16(4), 456–466.
- Leucht, S., Cipriani, A., Spinelli, L., Mavridis, D., Orey, D., Richter, F., . . . Davis, J. M. (2013). Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: A multiple-treatments meta-analysis. *Lancet*, 382(9896), 951–962.
- Levin, J. B., Krivenko, A., Howland, M., Schlachet, R., & Sajatovic, M. (2016). Medication adherence in patients with bipolar disorder: A comprehensive review. *CNS Drugs*, 30(9), 819–835.
- Lewinsohn, P. M., Muñoz, R. F., Youngren, M. A., & Zeiss, A. M. (1992). *Control your depression*. New York: Fireside/Simon & Schuster.
- Lewinsohn, P. M., Seeley, J. R., & Klein, D. N. (2003). Bipolar disorders during adolescence. *Acta Psychiatrica Scandinavica*, 418(Suppl.), 47–50.
- Lewis, K. J. S., Di Florio, A., Forty, L., Gordon-Smith, K., Perry, A., Craddock, N., . . . Jones, I. (2018). Mania triggered by sleep loss and risk of postpartum psychosis in women with bipolar disorder. *Journal of Affective Disorders*, 225, 624–629.
- Lewis, L. (2000). A consumer perspective concerning the diagnosis and treatment of bipolar disorder. *Biological Psychiatry*, 48, 442–444.
- Lewis, M. A., & Rook, K. S. (1999). Social control in personal relationships: Impact on health behaviors and psychological distress. *Health Psychology*, 18(1), 63–71.
- Lin, P. Y., & Su, K. P. (2007). A meta-analytic review of double-blind, placebo-controlled trials of antidepressant efficacy of omega-3 fatty acids. *Journal of Clinical Psychiatry*, 68(7), 1056–1061.
- Linehan, M. M. (1985). The reasons for living inventory. In P. A. Keller & L. G. Ri (Eds.), *Innovations in clinical practice: A source book* (pp. 321–330). Miami, FL: Professional Resource Exchange.

- Linehan, M. M., & Dexter-Mazza, E. T. (2007). Dialectical behavior therapy for borderline personality disorder. In D. H. Barlow (Ed.), *Clinical handbook of psychological disorders* (4th ed., pp. 365–420). New York: Guilford Press.
- Linehan, M. M., Goodstein, J. L., Nielsen, S. L., & Chiles, J. A. (1983). Reasons for staying alive when you are thinking of killing yourself: The Reasons for Living Inventory. *Journal of Consulting and Clinical Psychology*, 51, 276–286.
- Linehan, M. M., & Wilks, C. R. (2015). The course and evolution of dialectical behavior therapy. *American Journal of Psychotherapy*, 69(2), 97–110.
- Lish, J. D., Dime-Meenan, S., Whybrow, P. C., Price, R. A., & Hirschfeld, R. M. (1994). The National Depressive and Manic-Depressive Association (NDMDA) survey of bipolar members. *Journal of Affective Disorders*, 31, 281–294.
- Liu, H. Y., Potter, M. P., Woodworth, K. Y., Yorks, D. M., Petty, C. R., Wozniak, J. R., . . . Biederman, J. (2011). Pharmacologic treatments for pediatric bipolar disorder: A review and meta-analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50(8), 749–762.
- Lobban, F., Taylor, L., Chandler, C., Tyler, E., Kinderman, P., Kolamunnage-Dona, R., . . . Morriss, R. K. (2010). Enhanced relapse prevention for bipolar disorder by community mental health teams: Cluster feasibility randomised trial. *British Journal of Psychiatry*, 196(1), 59–63.
- Loebel, A., Cucchiari, J., Silva, R., Kroger, H., Hsu, J., Sarma, K., & Sachs, G. (2014). Lurasidone monotherapy in the treatment of bipolar I depression: A randomized, double-blind, placebo-controlled study. *American Journal of Psychiatry*, 171(2), 160–168.
- Lopez, R., Micoulaud-Franchi, J. A., Galera, C., & Dauvilliers, Y. (2017). Is adult-onset attention deficit/hyperactivity disorder frequent in clinical practice? *Psychiatry Research*, 257, 238–241.
- Luby, J. L., & Navsaria, N. (2010). Pediatric bipolar disorder: Evidence for prodromal states and early markers. *Journal of Child Psychology and Psychiatry*, 51(4), 459–471.
- Machado-Vieira, R., Manji, H. K., & Zarate, C. A. J. (2009). The role of lithium in the treatment of bipolar disorder: Convergent evidence for neurotrophic effects as a unifying hypothesis. *Bipolar Disorders*, 11(Suppl. 2), 92–109.
- MacPherson, H. A., Weinstein, S. M., Henry, D. B., & West, A. E. (2016). Mediators in the randomized trial of Child-and Family-Focused Cognitive-Behavioral Therapy for pediatric bipolar disorder. *Behavior Research and Therapy*, 85, 60–71.
- MacQueen, G., Parkin, C., Marriott, M., Bégin, H., & Hasey, G. (2007). The long-term impact of treatment with electroconvulsive therapy on discrete memory systems in patients with bipolar disorder. *Journal of Psychiatry and Neuroscience*, 32(4), 241–249.
- Malhi, G. S., Adams, D., & Berk, M. (2009). Medicating mood with maintenance in mind: Bipolar depression pharmacotherapy. *Bipolar Disorders*, 11(Suppl. 2), 55–76.
- Malhi, G. S., Bargh, D. M., Coulston, C. M., Das, P., & Berk, M. (2014). Predicting bipolar disorder on the basis of phenomenology: Implications for prevention and early intervention. *Bipolar Disorder*, 16(5), 455–470.
- Malhi, G. S., Morris, G., Hamilton, A., Outhred, T., & Mannie, Z. (2017). Is “early intervention” in bipolar disorder what it claims to be? *Bipolar Disorder*, 19(8), 627–636.
- Malkoff-Schwartz, S., Frank, E., Anderson, B. P., Hlastala, S. A., Luther, J. F., Sherrill, J. T., . . . Kupfer, D. J. (2000). Social rhythm disruption and stressful life events in the onset of bipolar and unipolar episodes. *Psychological Medicine*, 30, 1005–1016.
- Manji, H. K. (2009). The role of synaptic and cellular plasticity cascades in the pathophysiology and treatment of mood and psychotic disorders. *Bipolar Disorders*, 11(Suppl. 1), 2–3.
- Manji, H. K., Quiroz, J. A., Payne, J. L., Singh, J., Lopes, B. P., Viegas, J. S., & Zarate, C. A. (2003). The underlying neurobiology of bipolar disorder. *World Psychiatry*, 2(3), 136–146.
- Mansell, W., & Pedley, R. (2008). The ascent into mania: A review of psychological processes associated with the development of manic symptoms. *Clinical Psychology Review*, 28(3), 494–520.
- Marangell, L. B., Suppes, T., Zboyan, H. A., Prashad, S. J., Fischer, G., Snow, D., . . . Allen, J. C. (2008). A 1-year pilot study of vagus nerve stimulation in treatment-resistant rapid-cycling bipolar disorder. *Journal of Clinical Psychiatry*, 69(2), 183–189.
- Martell, C. R., Dimidjian, S., & Herman-Dunn, R. (2010). *Behavioral activation for depression: A clinician's guide*. New York: Guilford Press.
- Mayberg, H. S., Lozano, A. M., Voon, V., McNeely, H. E., Seminowicz, D., Hamani, C., . . . Kennedy, S. H. (2005). Deep brain stimulation for treatment-resistant depression. *Neuron*, 45(5), 651–660.
- McCrary, B. S. (2007). Alcohol use disorders. In D. Barlow (Ed.), *Clinical handbook of psychological disorders* (4th ed., pp. 492–546). New York: Guilford Press.
- McCraw, S., Parker, G., Fletcher, K., & Friend, P. (2013). Self-reported creativity in bipolar disorder:

- Prevalence, types and associated outcomes in mania versus hypomania. *Journal of Affective Disorders*, 151(3), 831–836.
- McIntyre, R. S., Soczynska, J. K., Cha, D. S., Woldeyohannes, H. O., Dale, R. S., Alsuwaidan, M. T., . . . Kennedy, S. H. (2015). The prevalence and illness characteristics of DSM 5-defined “mixed feature specifier” in adults with major depressive disorder and bipolar disorder: Results from the International Mood Disorders Collaborative Project. *Journal of Affective Disorders*, 172, 259–264.
- Merikangas, K. R., Akiskal, H. S., Angst, J., Greenberg, P. E., Hirschfeld, R. M. A., Petukhova, M., & Kessler, R. C. (2007). Lifetime and 12-month prevalence of bipolar spectrum disorder in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 64(5), 543–552.
- Merikangas, K. R., Jin, R., He, J. P., Kessler, R. C., Lee, S., Sampson, N. A., . . . Zarkov, Z. (2011). Prevalence and correlates of bipolar spectrum disorder in the World Mental Health Survey Initiative. *Archives of General Psychiatry*, 68(3), 241–251.
- Mesman, E., Nolen, W. A., Reichart, C. G., Wals, M., & Hillegers, M. H. (2013). The Dutch Bipolar Offspring Study: 12-year follow-up. *American Journal of Psychiatry*, 170(5), 542–549.
- Michalak, E. E., Yatham, L. N., Maxwell, V., Hale, S., & Lam, R. W. (2007). The impact of bipolar disorder upon work functioning: A qualitative analysis. *Bipolar Disorders*, 9(1–2), 126–143.
- Miklowitz, D. J. (2010). *Bipolar disorder: A family-focused treatment approach* (2nd ed.). New York: Guilford Press. (大野裕、三村將監訳『双極性障害の家族焦点化療法』金剛出版、2017 年)
- Miklowitz, D. J., Alatiq, Y., Geddes, J. R., Goodwin, G. M., & Williams, J. M. (2010). Thought suppression in bipolar disorder. *Journal of Abnormal Psychology*, 119(2), 355–365.
- Miklowitz, D. J., Biuckians, A., & Richards, J. A. (2006). Early-onset bipolar disorder: A family treatment perspective. *Development and Psychopathology*, 18(4), 1247–1265.
- Miklowitz, D. J., & Chung, B. D. (2016). Family-focused therapy for bipolar disorder: Reflections on 30 years of research. *Family Process*, 55(3), 483–499.
- Miklowitz, D. J., & George, E. L. (2007). *The bipolar teen: What you can do to help your teen and your family*. New York: Guilford Press.
- Miklowitz, D. J., George, E. L., Richards, J. A., Simoneau, T. L., & Suddath, R. L. (2003). A randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder. *Archives of General Psychiatry*, 60, 904–912.
- Miklowitz, D. J., & Gitlin, M. J. (2014a). *Clinician's guide to bipolar disorder*. New York: Guilford Press.
- Miklowitz, D. J., & Gitlin, M. J. (2014b). Psychosocial treatments for bipolar disorder. *Focus: Journal of Lifelong Learning in Psychiatry*, 12(3), 359–371.
- Miklowitz, D. J., Goldstein, M. J., Nuechterlein, K. H., Snyder, K. S., & Mintz, J. (1988). Family factors and the course of bipolar affective disorder. *Archives of General Psychiatry*, 45, 225–231.
- Miklowitz, D. J., Schneck, C. D., George, E. L., Taylor, D. O., Sugar, C. A., Birmaher, B., . . . Axelson, D. A. (2014). Pharmacotherapy and family-focused treatment for adolescents with bipolar I and II disorders: A 2-year randomized trial. *American Journal of Psychiatry*, 171(6), 658–667.
- Miklowitz, D. J., Schneck, C. D., Singh, M. K., Taylor, D. O., George, E. L., Cosgrove, V. E., . . . Chang, K. D. (2013). Early intervention for symptomatic youth at risk for bipolar disorder: A randomized trial of family-focused therapy. *Journal of the American Academy of Child and Adolescent Psychiatry*, 52(2), 121–131.
- Miklowitz, D. J., Schneck, C. D., Walshaw, P., Garrett, A. G., Singh, M. K., Sugar, C., & Chang, K. D. (2017, August 4). Early intervention for youth at high risk for bipolar disorder: A multisite randomized trial of family-focused treatment. *Early Intervention in Psychiatry*. [Epub ahead of print]
- Miller, A. H., Maletic, V., & Raison, C. L. (2009). Inflammation and its discontents: The role of cytokines in the pathophysiology of major depression. *Biological Psychiatry*, 65, 732–741.
- Miller, W. R., & Rollnick, S. (2012). *Motivational interviewing: Helping people change* (3rd ed.). New York: Guilford Press.
- Millett, K. (1990). *The loony-bin trip*. New York: Simon & Schuster.
- Modabbernia, A., Taslimi, S., Brietzke, E., & Ashrafi, M. (2013). Cytokine alterations in bipolar disorder: A meta-analysis of 30 studies. *Biological Psychiatry*, 74(1), 15–25.
- Monk, T. H., Kupfer, D. J., Frank, E., & Ritenour, A. M. (1991). The social rhythm metric (SRM): Measuring daily social rhythms over 12 weeks. *Psychiatry Research*, 36, 195–207.
- Moreno, C., Laje, G., Blanco, C., Jiang, H., Schmidt, A. B., & Olfson, M. (2007). National trends in the outpatient diagnosis and treatment of bipolar disorder in youth. *Archives of General*

Psychiatry, 64(9), 1032–1039.

- Morris, C. D., Miklowitz, D. J., Wisniewski, S. R., Giese, A. A., Allen, M. H., & Thomas, M. R. (2005). Care satisfaction, hope, and life functioning among adults with bipolar disorder: Data from the first 1,000 participants in the Systematic Treatment Enhancement Program. *Comprehensive Psychiatry*, 46, 98–104.
- Newberg, A. R., Catapano, L. A., Zarate, C. A., & Manji, H. K. (2008). Neurobiology of bipolar disorder. *Expert Reviews in Neurotherapeutics*, 8(1), 93–110.
- Newman, C., Leahy, R. L., Beck, A. T., Reilly-Harrington, N., & Gyulai, L. (2001). *Bipolar disorder: A cognitive therapy approach*. Washington, DC: American Psychological Association.
- Novick, D. M., Gonzalez-Pinto, A., Haro, J. M., Bertsch, J., Reed, C., Perrin, E., . . . Board, E. A. (2009). Translation of randomised controlled trial findings into clinical practice: Comparison of olanzapine and valproate in the EMBLEM study. *Pharmacopsychiatry*, 42(4), 145–152.
- Novick, D. M., Swartz, H. A., & Frank, E. (2010). Suicide attempts in bipolar I and bipolar II disorder: A review and meta-analysis of the evidence. *Bipolar Disorders*, 12(1), 1–9.
- Nusslock, R., Almeida, J. R., Forbes, E. E., Versace, A., Frank, E., Labarbara, E. J., . . . Phillips, M. L. (2012). Waiting to win: Elevated striatal and orbitofrontal cortical activity during reward anticipation in euthymic bipolar disorder adults. *Bipolar Disorder*, 14(3), 249–260.
- O'Brien, M. P., Miklowitz, D. J., & Cannon, T. D. (2014). A randomized trial of family focused therapy with youth at clinical high risk for psychosis: Effects on interactional behavior. *Journal of Consulting and Clinical Psychology*, 82(1), 90–101.
- Occhiogrosso, M., Omran, S. S., & Altemus, M. (2012). Persistent pulmonary hypertension of the newborn and selective serotonin reuptake inhibitors: Lessons from clinical and translational studies. *American Journal of Psychiatry*, 169(2), 134–140.
- O'Donnell, L. A., Deldin, P. J., Grogan-Kaylor, A., McInnis, M. G., Weintraub, J., Ryan, K. A., & Himle, J. A. (2017a). Depression and executive functioning deficits predict poor occupational functioning in a large longitudinal sample with bipolar disorder. *Journal of Affective Disorders*, 215, 135–142.
- O'Donnell, L. A., Himle, J. A., Ryan, K., Grogan-Kaylor, A., McInnis, M. G., Weintraub, J., . . . Deldin, P. (2017b). Social aspects of the workplace among individuals with bipolar disorder. *Journal of the Society for Social Work and Research*, 8(3), 379–398.
- Öhlund, L., Ott, M., Oja, S., Bergqvist, M., Lundqvist, R., Sandlund, M., . . . Werneke, U. (2018). Reasons for lithium discontinuation in men and women with bipolar disorder: A retrospective cohort study. *BMC Psychiatry*, 18(1), 37.
- Oldani, L., Altamura, A. C., Abdelghani, M., & Young, A. H. (2016). Brain stimulation treatments in bipolar disorder: A review of the current literature. *World Journal of Biological Psychiatry*, 17(7), 482–494.
- Otto, M. W., Reilly-Harrington, N., Sachs, G. S., Knauz, R. O., Miklowitz, D. J., & Frank, E. (1999). *Collaborative care workbook: A workbook for individuals and families*. Boston: Partners Bipolar Treatment Center, Massachusetts General Hospital.
- Palmier-Claus, J. E., Berry, K., Bucci, S., Mansell, W., & Varese, F. (2016). Relationship between childhood adversity and bipolar affective disorder: Systematic review and meta-analysis. *British Journal of Psychiatry*, 209(6), 454–459.
- Pavuluri, M. N., Birmaher, B., & Naylor, M. W. (2005). Pediatric bipolar disorder: A review of the past 10 years. *Journal of the American Academy of Child and Adolescent Psychiatry*, 44(9), 846–871.
- Pavuluri, M. N., West, A., Hill, S. K., Jindal, K., & Sweeney, J. A. (2009). Neurocognitive function in pediatric bipolar disorder: 3-year follow-up shows cognitive development lagging behind healthy youths. *Journal of the American Academy of Child and Adolescent Psychiatry*, 48, 299–307.
- Perez Algorta, G., MacPherson, H. A., Youngstrom, E. A., Belt, C. C., Arnold, L. E., Frazier, T. W., . . . Fristad, M. A. (2017, February 26). Parenting stress among caregivers of children with bipolar spectrum disorders. *Journal of Clinical Child and Adolescent Psychology*. [Epub ahead of print]
- Perich, T., Ussher, J., & Meade, T. (2017). Menopause and illness course in bipolar disorder: A systematic review. *Bipolar Disorder*, 19(6), 434–443.
- Perlis, R. H., Miyahara, S., Marangell, L. B., Wisniewski, S. R., Ostacher, M., DelBello, M. P., . . . STEP-BD Investigators. (2004). Long-term implications of early onset in bipolar disorder: Data from the first 1000 participants in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). *Biological Psychiatry*, 55, 875–881.
- Perlis, R. H., Ostacher, M. J., Miklowitz, D. J., Hay, A., Nierenberg, A. A., Thase, M. E., & Sachs, G. S. (2010). Clinical features associated with poor pharmacologic adherence in bipolar disorder:

- Results from the STEP-BD study. *Journal of Clinical Psychiatry*, 71(3), 296–303.
- Perlis, R. H., Ostacher, M. J., Patel, J., Marangell, L. B., Zhang, H., Wisniewski, S. R., . . . Thase, M. (2006). Predictors of recurrence in bipolar disorder: Primary outcomes from the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). *American Journal of Psychiatry*, 163(2), 217–224.
- Phelps, J. (2012). The bipolar spectrum. In G. Parker (Ed.), *Bipolar II disorder: Modelling, measuring and managing* (2nd ed., pp. 10–34). Cambridge, UK: Cambridge University Press.
- Phillips, M. L., & Swartz, H. A. (2014). A critical appraisal of neuroimaging studies of bipolar disorder: Toward a new conceptualization of underlying neural circuitry and a road map for future research. *American Journal of Psychiatry*, 171(8), 829–843.
- Pigott, K., Galizia, I., Vasudev, K., Watson, S., Geddes, J., & Young, A. H. (2016). Topiramate for acute affective episodes in bipolar disorder in adults. *Cochrane Database of Systematic Reviews*, 9, Art. No. CD003384.
- Post, R. M. (2007). Kindling and sensitization as models for affective episode recurrence, cyclicity, and tolerance phenomena. *Neuroscience and Biobehavioral Reviews*, 31(6), 858–873.
- Post, R. M., Altshuler, L. L., Kupka, R., McElroy, S. L., Frye, M. A., Rowe, M., . . . Nolen, W. A. (2017). More childhood onset bipolar disorder in the United States than Canada or Europe: Implications for treatment and prevention. *Neuroscience and Biobehavioral Reviews*, 74(Pt. A), 204–213.
- Post, R. M., & Leverich, G. S. (2006). The role of psychosocial stress in the onset and progression of bipolar disorder and its comorbidities: The need for earlier and alternative modes of therapeutic intervention. *Development and Psychopathology*, 18(4), 1181–1211.
- Post, R. M., Leverich, G. S., Kupka, R. W., Keck, P. E. J., McElroy, S. L., Altshuler, L. L., . . . Nolen, W. A. (2010). Early-onset bipolar disorder and treatment delay are risk factors for poor outcome in adulthood. *Journal of Clinical Psychiatry*, 71(7), 864–872.
- Rachid, F. (2017a). Maintenance repetitive transcranial magnetic stimulation (rTMS) for relapse prevention in patients with depression. *Psychiatry Research*, 262, 363–372.
- Rachid, F. (2017b). Repetitive transcranial magnetic stimulation and treatment-emergent mania and hypomania: A review of the literature. *Journal of Psychiatric Practice*, 23(2), 150–159.
- Rasgon, N. L., Altshuler, L. L., Fairbanks, L., Elman, S., Bitran, J., Labarca, R., . . . Mintz, J. (2005). Reproductive function and risk for PCOS in women treated for bipolar disorder. *Bipolar Disorders*, 7(3), 246–259.
- Rasgon, N. L., Bauer, M., Glenn, T., Elman, S., & Whybrow, P. C. (2003). Menstrual cycle related mood changes in women with bipolar disorder. *Bipolar Disorders*, 5(1), 48–52.
- Rea, M. M., Thompson, M., Miklowitz, D. J., Goldstein, M. J., Hwang, S., & Mintz, J. (2003). Family focused treatment vs. individual treatment for bipolar disorder: Results of a randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 71, 482–492.
- Reichart, C. G., & Nolen, W. A. (2004). Earlier onset of bipolar disorder in children by antidepressants or stimulants?: An hypothesis. *Journal of Affective Disorders*, 78(1), 81–84.
- Reilly-Harrington, N., & Sachs, G. S. (2006). Psychosocial strategies to improve concordance and adherence in bipolar disorder. *Journal of Clinical Psychiatry*, 67(7), e04.
- Reinares, M., Rosa, A. R., Franco, C., Goikolea, J. M., Fountoulakis, K., Siamouli, M., . . . Vieta, E. (2013). A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. *International Journal of Neuropsychopharmacology*, 16(2), 485–496.
- Rosa, A. R., Fountoulakis, K., Siamouli, M., Gonda, X., & Vieta, E. (2011). Is anticonvulsant treatment of mania a class effect?: Data from randomized clinical trials. *CNS Neuroscience Therapeutics*, 17(3), 167–177.
- Rosso, G., Albert, U., Di Salvo, G., Scatà, M., Todros, T., & Maina, G. (2016). Lithium prophylaxis during pregnancy and the postpartum period in women with lithium-responsive bipolar I disorder. *Archives of Women's Mental Health*, 19(2), 429–432.
- Rossouw, T. I., & Fonagy, P. (2012). Mentalization-based treatment for self-harming adolescents: A randomised controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(12), 1304–1313.
- Roybal, K., Theobald, D., Graham, A., DiNieri, J. A., Russo, S. J., Krishnan, V., . . . McClung, C. A. (2007). Mania-like behavior induced by disruption of CLOCK. *Proceedings of the National Academy of Sciences of the USA*, 104(15), 6406–6411.
- Rush, A. J., Trivedi, M. H., Ibrahim, H. M., Carmody, T. J., Arnow, B., & Klein, D. N. (2003). The 16-item Quick Inventory of Depressive Symptomatology (QIDS), Clinician rating (QIDS-C), and Self-Report (QIDS-SR): A psychometric evaluation in patients with chronic major depression. *Biological Psychiatry*, 54(5), 573–583.
- Rybakowski, J. K. (2014). Response to lithium in bipolar disorder: Clinical and genetic findings.

- ACS Chemical Neuroscience, 5(6), 413–421.
- Sachs, G. S., Nierenberg, A. A., Calabrese, J. R., Marangell, L. B., Wisniewski, S. R., Gyulai, L., . . . Thase, M. E. (2007). Effectiveness of adjunctive antidepressant treatment for bipolar depression. *New England Journal of Medicine*, 356(17), 1711–1722.
- Sachs, G. S., Thase, M. E., Otto, M. W., Bauer, M., Miklowitz, D., Wisniewski, S. R., . . . Rosenbaum, J. F. (2003). Rationale, design, and methods of the systematic treatment enhancement program for bipolar disorder (STEP-BD). *Biological Psychiatry*, 53, 1028–1042.
- Sala, R., Axelson, D. A., Castro-Fornieles, J., Goldstein, T. R., Ha, W., Liao, F., . . . Birmaher, B. (2010). Comorbid anxiety in children and adolescents with bipolar spectrum disorders: Prevalence and clinical correlates. *Journal of Clinical Psychiatry*, 71(10), 1344–1350.
- Salcedo, S., Gold, A. K., Sheikh, S., Marcus, P. H., Nierenberg, A. A., Deckersbach, T., & Sylvia, L. G. (2016). Empirically supported psychosocial interventions for bipolar disorder: Current state of the research. *Journal of Affective Disorders*, 201, 203–214.
- Salisbury, A. L., O'Grady, K. E., Battle, C. L., Wisner, K. L., Anderson, G. M., Stroud, L. R., . . . Lester, B. M. (2016). The roles of maternal depression, serotonin reuptake inhibitor treatment, and concomitant benzodiazepine use on infant neurobehavioral functioning over the first postnatal month. *American Journal of Psychiatry*, 173(2), 147–157.
- Schaffer, A., Sinyor, M., Reis, C., Goldstein, B. I., & Levitt, A. J. (2014). Suicide in bipolar disorder: Characteristics and subgroups. *Bipolar Disorder*, 16(7), 732–740.
- Scheffer, R. E., Kowatch, R. A., Carmody, T., & Rush, A. J. (2005). Randomized, placebo-controlled trial of mixed amphetamine salts for symptoms of comorbid ADHD in pediatric bipolar disorder after mood stabilization with divalproex sodium. *American Journal of Psychiatry*, 162(1), 58–64.
- Scherk, H., Pajonk, F. G., & Leucht, S. (2007). Second-generation antipsychotic agents in the treatment of acute mania: A systematic review and meta-analysis of randomized controlled trials. *Archives of General Psychiatry*, 64(4), 442–455.
- Schlaepfer, T. E., Cohen, M. X., Frick, C., Kosel, M., Brodesser, D., Axmacher, N., . . . Sturm, V. (2008). Deep brain stimulation to reward circuitry alleviates anhedonia in refractory major depression. *Neuropsychopharmacology*, 33(2), 368–377.
- Schloesser, R. J., Huang, J., Klein, P. S., & Manji, H. K. (2008). Cellular plasticity cascades in the pathophysiology and treatment of bipolar disorder. *Neuropsychopharmacology Reviews*, 33(1), 110–133.
- Schneck, C. D., Chang, K. D., Singh, M., DelBello, M. P., & Miklowitz, D. J. (2017). A pharmacologic algorithm for youth who are at high risk for bipolar disorder. *Journal of Child and Adolescent Psychopharmacology*, 27(9), 796–805.
- Schneck, C. D., Miklowitz, D. J., Miyahara, S., Wisniewski, S., Gyulai, L., Allen, M. H., . . . Sachs, G. S. (2008). The prospective course of rapid-cycling bipolar disorder. *American Journal of Psychiatry*, 165(3), 370–377.
- Scrandis, D. A. (2017). Bipolar disorder in pregnancy: A review of pregnancy outcomes. *Journal of Midwifery and Women's Health*, 62(6), 673–683.
- Segal, Z. V., Williams, J. M., & Teasdale, J. D. (2012). *Mindfulness-based cognitive therapy for depression* (2nd ed.). New York: Guilford Press.
- Seligman, M. E. P. (2002). *Authentic happiness*. New York: Simon & Schuster.
- Seligman, M. E. P., Reivich, K., Jaycox, L., & Gillham, J. (1996). *The optimistic child*. Boston: Houghton Mifflin.
- Severus, E., Taylor, M. J., Sauer, C., Pfennig, A., Ritter, P., Bauer, M., & Geddes, J. R. (2014). Lithium for prevention of mood episodes in bipolar disorders: Systematic review and meta-analysis. *International Journal of Bipolar Disorders*, 2(15), 1–17.
- Shapiro, L. E. (2008). *Stopping the pain: A workbook for teens who cut and self-injure*. Oakland, CA: Instant Help/New Harbinger.
- Shim, I. H., Woo, Y. S., Kim, M. D., & Bahk, W. M. (2017). Antidepressants and mood stabilizers: Novel research avenues and clinical insights for bipolar depression. *International Journal of Molecular Psychiatry*, 18(11), E2406.
- Singley, D. B., & Edwards, L. M. (2015). Men's perinatal mental health in the transition to fatherhood. *Professional psychology: Research and Practice*, 46(5), 309–316.
- Sit, D. K., McGowan, J., Wiltout, C., Diler, R. S., Dills, J. J., Luther, J., . . . Wisner, K. L. (2018). Adjunctive bright light therapy for bipolar depression: A randomized double-blind placebo-controlled trial. *American Journal of Psychiatry*, 175(2), 131–139.
- Smith, L. A., Cornelius, V., Warnock, A., Tacchi, M. J., & Taylor, D. (2007). Pharmacological interventions for acute bipolar mania: A systematic review of randomized placebo-controlled trials. *Bipolar Disorders*, 9(6), 551–560.
- Smoller, J. W., & Finn, C. T. (2003). Family, twin, and adoption studies of bipolar disorder. *American Journal of Medical Genetics, Part C: Seminars in Medical Genetics*, 123(1), 48–58.

- Solomon, A. (2002). *Noonday demon: An atlas of depression*. New York: Scribner.
- Solomon, D. A., Leon, A. C., Endicott, J., Coryell, W. H., Mueller, T. I., Posternak, M. A., & Keller, M. B. (2003). Unipolar mania over the course of a 20-year follow-up study. *American Journal of Psychiatry*, *160*, 2049–2051.
- Stewart, D. E. (2011). Depression during pregnancy. *New England Journal of Medicine*, *365*, 1605–1611.
- Strakowski, S. M., DelBello, M. P., Fleck, D. E., & Arndt, S. (2000). The impact of substance abuse on the course of bipolar disorder. *Biological Psychiatry*, *48*, 477–485.
- Strober, M., & Carlson, G. (1982). Bipolar illness in adolescents with major depression: Clinical, genetic, and psychopharmacologic predictors in a 3–4 year prospective follow-up investigation. *Archives of General Psychiatry*, *39*, 549–555.
- Strosahl, K., Chiles, J. A., & Linehan, M. (1992). Prediction of suicide intent in hospitalized parasuicides: Reasons for living, hopelessness, and depression. *Comprehensive Psychiatry*, *33*, 366–373.
- Styron, W. (1992). *Darkness visible: A memoir of madness*. New York: Vintage Books.
- Sun, Y. R., Herrmann, N., Scott, C. J. M., Black, S. E., Khan, M. M., & Lanctôt, K. L. (2018). Global grey matter volume in adult bipolar patients with and without lithium treatment: A meta-analysis. *Journal of Affective Disorders*, *225*, 599–606.
- Suppes, T., Dennehy, E. B., & Gibbons, E. W. (2000). The longitudinal course of bipolar disorder. *Journal of Clinical Psychiatry*, *61*, 23–30.
- Suto, M., Murray, G., Hale, S., Amari, E., & Michalak, E. E. (2010). What works for people with bipolar disorder?: Tips from the experts. *Journal of Affective Disorders*, *124*(1–2), 76–84.
- Sylvia, L. G., Hay, A., Ostacher, M. J., Miklowitz, D. J., Nierenberg, A. A., Thase, M. E., . . . Perlis, R. H. (2013). Association between therapeutic alliance, care satisfaction, and pharmacological adherence in bipolar disorder. *Clinical Psychopharmacology*, *33*(3), 343–350.
- Teasdale, J., Williams, M., & Segal, Z. (2014). *The mindful way workbook: An 8-week program to free yourself from depression and emotional distress*. New York: Guilford Press. (小山秀之、前田泰宏監訳『マインドフルネス認知療法ワークブック』北大路書房、2018年)
- Thase, M. E. (2010). Pharmacotherapy for adults with bipolar depression. In D. J. Miklowitz & D. Cicchetti (Eds.), *Understanding bipolar disorder: A developmental psychopathology perspective* (pp. 445–465). New York: Guilford Press.
- Tohen, M., Kryzhanovskaya, L., Carlson, G., DelBello, M. P., Wozniak, J., Kowatch, R., . . . Biederman, J. (2005). Olanzapine in the treatment of acute mania in adolescents with bipolar I disorder: A 3-week randomized double-blind placebo-controlled study. *Neuropsychopharmacology*, *30*(Suppl. 1), 176.
- Tohen, M., & Vieta, E. (2009). Antipsychotic agents in the treatment of bipolar mania. *Bipolar Disorders*, *11*(2), 45–54.
- Torrent, C., Bonnín, C. D. M., Martínez-Aran, A., Valle, J., Amann, B. L., Gonzalez-Pinto, A., & Vieta, E. (2013). Efficacy of functional remediation in bipolar disorder: A multicenter randomized controlled study. *American Journal of Psychiatry*, *170*(8), 852–859.
- Townsend, J., & Altshuler, L. L. (2012). Emotion processing and regulation in bipolar disorder: A review. *Bipolar Disorders*, *14*(4), 326–339.
- Tremblay, C. H. (2011). Workplace accommodations and job success for persons with bipolar disorder. *Work*, *40*(4), 479–487.
- Turvill, J. L., Burroughs, A. K., & Moore, K. P. (2000). Change in occurrence of paracetamol overdose in UK after introduction of blister packs. *Lancet*, *355*(9220), 2048–2049.
- Van Meter, A. R., Burke, C., Kowatch, R. A., Findling, R. L., & Youngstrom, E. A. (2016). Ten-year updated meta-analysis of the clinical characteristics of pediatric mania and hypomania. *Bipolar Disorder*, *18*(1), 19–32.
- Van Meter, A. R., Burke, C., Youngstrom, E. A., Faedda, G. L., & Correll, C. U. (2016). The bipolar prodrome: Meta-analysis of symptom prevalence prior to initial or recurrent mood episodes. *Journal of the American Academy of Child and Adolescent Psychiatry*, *55*(7), 543–555.
- Van Meter, A. R., & Youngstrom, E. A. (2012). Cyclothymic disorder in youth: Why is it overlooked, what do we know and where is the field headed? *Neuropsychiatry*, *2*(6), 509–519.
- Van Meter, A. R., Youngstrom, E. A., Birmaher, B., Fristad, M. A., Horwitz, S. M., Frazier, T. W., . . . Findling, R. L. (2017). Longitudinal course and characteristics of cyclothymic disorder in youth. *Journal of Affective Disorders*, *215*, 314–322.
- Vesco, A. T., Young, A. S., Arnold, L. E., & Fristad, M. A. (2018). Omega-3 supplementation associated with improved parent-rated executive function in youth with mood disorders: Secondary analyses of the omega 3 and therapy (OATS) trials. *Journal of Child Psychology*

- and *Psychiatry*, 59(6), 628–636.
- Vieta, E., Salagre, E., Grande, I., Carvalho, A. F., Fernandes, B. S., Berk, M., . . . Suppes, T. (2018). Early intervention in bipolar disorder. *American Journal of Psychiatry*, 175(5), 411–426.
- Viguera, A. C., Newport, D. J., Ritchie, J., Stowe, Z., Whitfield, T., Mogielnicki, J., . . . Cohen, L. S. (2007). Lithium in breast milk and nursing infants: Clinical implications. *American Journal of Psychiatry*, 164(2), 342–345.
- Viguera, A. C., Nonacs, R., Cohen, L. S., Tondo, L., Murray, A., & Baldessarini, R. J. (2000). Risk of recurrence of bipolar disorder in pregnant and nonpregnant women after discontinuing lithium maintenance. *American Journal of Psychiatry*, 157(2), 179–184.
- Viguera, A. C., Whitfield, T., Baldessarini, R. J., Newport, D. J., Stowe, Z., Reminick, A., . . . Cohen, L. S. (2007). Risk of recurrence in women with bipolar disorder during pregnancy: Prospective study of mood stabilizer discontinuation. *American Journal of Psychiatry*, 164(12), 1817–1824.
- Walshaw, P. D., Alloy, L. B., & Sabb, F. W. (2010). Executive function in pediatric bipolar disorder and attention-deficit hyperactivity disorder: In search of distinct phenotypic profiles. *Neuropsychology Review*, 20(1), 103–120.
- Ward, S., & Wisner, K. L. (2007). Collaborative management of women with bipolar disorder during pregnancy and postpartum: Pharmacologic considerations. *Journal of Midwifery and Women's Health*, 52(1), 3–13.
- Weintraub, M. J., Van de Loo, M. M., Gitlin, M. J., & Miklowitz, D. J. (2017). Self-harm, affective traits, and psychosocial functioning in adults with depressive and bipolar disorders. *Journal of Nervous and Mental Disease*, 205(11), 896–899.
- Weissman, M. M., Wickramaratne, P., Pilowsky, D. J., Poh, E., Batten, L. A., Hernandez, M., . . . Stewart, J. W. (2015). Treatment of maternal depression in a medication clinical trial and its effect on children. *American Journal of Psychiatry*, 172(5), 450–459.
- Weobong, B., Weiss, H. A., McDaid, D., Singla, D. R., Hollon, S. D., Nadkarni, A., . . . Patel, V. (2017). Sustained effectiveness and cost-effectiveness of the Healthy Activity Programme, a brief psychological treatment for depression delivered by lay counsellors in primary care: 12-month follow-up of a randomised controlled trial. *PLOS Medicine*, 14(9), e1002385.
- Wesseloo, R., Kamperman, A. M., Munk-Olsen, T., Pop, V. J., Kushner, S. A., & Bergink, V. (2016). Risk of postpartum relapse in bipolar disorder and postpartum psychosis: A systematic review and meta-analysis. *American Journal of Psychiatry*, 173(2), 117–127.
- West, A. E., Weinstein, S. M., Peters, A. T., Katz, D. A. C., Henry, D. B., Cruz, R. A., & Pavuluri, M. N. (2014). Child-and family-focused cognitive-behavioral therapy for pediatric bipolar disorder: A randomized clinical trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 53(11), 1168–1178.
- Wilkinson, S. T., Ballard, E. D., Bloch, M. H., Mathew, S. J., Murrough, J. W., Feder, A., . . . Sanacora, G. (2018). The effect of a single dose of intravenous ketamine on suicidal ideation: A systematic review and individual participant data meta-analysis. *American Journal of Psychiatry*, 175(2), 150–158.
- Williams, J. B. W. (1988). A structured interview guide for the Hamilton Depression Rating Scale. *Archives of General Psychiatry*, 45, 742–747.
- Williams, J. M., Crane, C., Barnhofer, T., Brennan, K., Duggan, D. S., Fennell, M. J., . . . Russell, I. T. (2014). Mindfulness-based cognitive therapy for preventing relapse in recurrent depression: A randomized dismantling trial. *Journal of Consulting and Clinical Psychology*, 82(2), 275–286.
- Williams, J. M., Russell, I., & Russell, D. (2008). Mindfulness-based cognitive therapy: Further issues in current evidence and future research. *Journal of Consulting and Clinical Psychology*, 76(3), 524–529.
- Williams, M., Teasdale, J., Segal, Z., & Kabat-Zinn, J. (2007). *The mindful way through depression: Freeing yourself from chronic unhappiness*. New York: Guilford Press. (越川房子、黒澤麻美訳『うつのためのマインドフルネス実践』星和書店、2012年)
- Wurtzel, E. (1994). *Prozac nation*. New York: Riverhead Books.
- Yen, S., Stout, R., Hower, H., Killam, M. A., Weinstock, L. M., Topor, D. R., . . . Keller, M. B. (2016). The influence of comorbid disorders on the episodicity of bipolar disorder in youth. *Acta Psychiatrica Scandinavica*, 133(4), 324–334.
- Young, R. C., Biggs, J. T., Ziegler, V. E., & Meyer, D. A. (1978). A rating scale for mania: Reliability, validity, and sensitivity. *British Journal of Psychiatry*, 133, 429–435.
- Youngstrom, E. A., Findling, R. L., Youngstrom, J. K., & Calabrese, J. R. (2005). Towards an evidence-based assessment of pediatric bipolar disorder. *Journal of Clinical Child and Adolescent Psychology*, 34(3), 433–448.
- Youngstrom, E. A., Frazier, T. W., Demeter, C., Calabrese, J. R., & Findling, R. L. (2008).

- Developing a 10-item mania scale from the Parent General Behavior Inventory for Children and Adolescents. *Journal of Clinical Psychiatry*, 69(5), 831–839.
- Zarate, C. A. J., Brutsche, N. E., Ibrahim, L., Franco-Chaves, J., Diazgranados, N., Cravchik, A., . . . Luckenbaugh, D. A. (2012). Replication of ketamine's antidepressant efficacy in bipolar depression: A randomized controlled add-on trial. *Biological Psychiatry*, 71(11), 939–946.
- Zarate, C. A. J., Payne, J. L., Singh, J., Quiroz, J. A., Luckenbaugh, D. A., Denicoff, K. D., . . . Manji, H. K. (2004). Pramipexole for bipolar II depression: A placebo-controlled proof of concept study. *Biological Psychiatry*, 56(1), 54–60.
- Zubin, J., & Spring, B. (1977). Vulnerability: A new view of schizophrenia. *Journal of Abnormal Psychology*, 86, 103–126.